
+Consultant
1
Consultant
+Consultant(name: string, firstName: string, password: string)
+MessagesList
1.*
Message
+Subject: string
+Description: string
+Message(subject: string, description: string)
Person
-Id: uint
-Name: string
-FirstName: string
-Password: string
+id: static uint
+Person(name: string, firstName: string, password: string)
Customer
+Customer(name: string, firstName: string, password: string)
+AccountsList
1.*
Account
-Balance: double
-Name: string
-IBAN: string
+IBANHide: string
+Account(balance: double, name: string, iban: string)
+DoTransactions(name: string, IBAN: string, sum: string, nb: int): void
+DoRequest(name: string, IBAN: string, sum: string, nb: int): void
+AskForHelp(subject: string, description: string): void
+IBANToString(): string
+TransactionsList
1.*
Transactions
+Id: string
+Type: bool
-Sum: double
-InvolvedAccounts: Account
-Category: string
+Date: DateTime
+Transactions(type: bool, sum: int, involvedAccounts: Account, id: int, date: DateTime)
+ChangeCategory(newCateg: string): void
1.*
+CustomersList
Manager
+SelectedCustomer: Customer
+SelectedAccount: Account
+SelectedTransaction: Transaction
+IsConsultant: bool
+Manager()
+Manager(persistence: IPersistenceManager)
+AddCustomer(MyCustomer: Customer): bool
+GetCustomer(place: int): Customer
+DataSave(): void
+DataLoad(): void
Persistance
+Persistence
IPersistenceManager
+DataLoad(): {HashSet<Customer>, Consultant}
+DataSave(cu: HashSet<Customer>, co: Consultant): void
Stub
+DataLoad(): {HashSet<Customer>, Consultant}
+DataSave(cu: HashSet<Customer>, co: Consultant): void
DataContractPersLINQ
+FilePath: string
+FileName: string
+DataLoad(): {HashSet<Customer>, Consultant}
+DataSave(cu: HashSet<Customer>, co: Consultant): void
DataContractPersXML
+FilePath: string
+FileName: string
+DataLoad(): {HashSet<Customer>, Consultant}
+DataSave(cu: HashSet<Customer>, co: Consultant): void
DataContractPersJSON
+FilePath: string
+FileName: string
+DataLoad(): {HashSet<Customer>, Consultant}
+DataSave(cu: HashSet<Customer>, co: Consultant): void
+DataToPers
DataToPersist
+customer: HashSet<Customer>
+consultant: Consultant